




SR. NO.: 101



SR. NO.: 103




SR. NO.: 105



SR. NO.: 102



SR. NO.: 104



SR. NO.: 106



SR. NO.: 107






PASHMINA =



SR. NO.: 108



SR. NO.: 110





SR. NO.: 109



SR. NO.: 111



SR. NO.: 113



SR. NO.: 114 SR. NO.: 115



SR. NO.: 116



SR. NO.: 118




SR. NO.: 120



SR. NO.: 117



SR. NO.: 119



SR. NO.: 121



SR. NO.: 122



SR. NO.: 123



SR. NO.: 125



SR. NO.: 127



SR. NO.: 124



SR. NO.: 126



SR. NO.: 128



SR. NO.: 129









SR. NO.: 132




SR. NO.: 134



SR. NO.: 131



SR. NO.: 133



SR. NO.: 135



SR. NO.: 136



PASHMINA =



SR. NO.: 137





SR. NO.: 138



SR. NO.: 139





SR. NO.: 144

SR. NO.: 145





DESIGN NO.	WIDTH	GSM	COMPOSITION	H REPEAT INCH)	V REPEAT INCH)	END-USE
6003	54"	285	70%POLY.830%VISCOSE	11.75	11. <i>7</i> 5	
6006	54"	100	100% POLYESTER	24.25	23.50	
6004	48"	75	POLY BASE RAYON EMBROIDERY	30	9	
6005	54"	285	70%POLY.830%VISCOSE	7	14	
7852	54"	90	100% POLYESTER	14	27	
7851	54"	90	100% POLYESTER	-	-	
ASHMIN	54"	285	70%POLY.&30%VISCOSE	-	-	

- We do not accept responsibility for any stain resulting from inappropriate use, chemical cleaning or additional impregnation.
- Test results were gathered from various sample& therefore represents average indicative values.
- Discoloration caused by clothing fabrics such as jeans does not represent a material defect.
- Minor colour deviation within permissible industrial tolerance standard within lot to lot fabrics should be acceptable

colors shades may slightly vary from dye lot to dye lot

WASHING INSTRUCTIONS









